DB3710

DB 3710/ T 187—2022

2022 - 12 - 29 2023 - 01 - 29

		IJ
		III
1		
2		
3		
4		
	1. 1	
	1. 2	
	1. 3	
	1. 4	
	1. 5	
	1.6	
	1. 7	
	1.8	
	1. 9	
2	1. 10	
5		
Ę	5. 1	
	5. 2	
5	5. 3	
Ę	5. 4	
Ę	5. 5	
Ę	5. 6	
Ę	5. 7	
6		
ć	5. 1	
6	5. 2	
		11

GB/T 1.1—2020 « 1

. "

2

JGJ46

3

3. 1

Constructi on enclosure

3. 2

The Gate

4

4. 1

4. 1. 1

4. 1. 2

4. 1. 3

4. 1. 4


4. 1. 5

4. 1. 6

4. 5. 1

40mmx 20mmx 2.5mm

3




3

4. 5. 2 80mm 3mm 45mm 5mm H 200mm150mm 10mm 50mm 14mm



°1 1

4. 5. 3 500mm 500mm 40mm 410mm




6
4. 6. 2
PVC +UV +PVC 7 8

4. 6. 3

30


4. 7

9



4. 8

10



4. 9

		36V		JGJ 46	6
4. 10					
4. 10. 1 4. 10. 2 4. 10. 3	3 PPR	Dr	N32	DN2O	
	2m	11 1	300mm 3		

5. 1

5. 1. 1

100KPa

5. 1. 2

1500mm 1500mm 1200mm 1000mm 200mm C30


5. 2

6000mm 1000mm 1000mm 0.7mm L50mm 50mm 4mm L40mm 40mm 3mm

5. 3

5. 3. 1


12000mm 1000mm 1000mm 0.7mm L50mm 50mm 4mm L40mm 40mm£0m mm



5. 4

200mm

16



16

5. 5


5. 5. 1

5. 5. 2

5. 5. 3 LOGO


5. 5. 4

5. 5. 5



5. 6

18



18

5. 7

5. 7. 1

17 18 5. 7. 2

6 6 1 6 1.1	DB3710/ T 187—2022
6. 1. 2	
6 1. 2 1 6 1. 2 2 6 1. 2 3 6 1. 2 4 6 1. 2 5	C25
6. 1. 2. 6 6. 1. 2. 7	36V

6. 1. 2. 8

6. 1. 3

2.

2.

a ·

2.

- [1] GB 50017
- [2] GB 50205
- [3] GB 50666
- [4] JGJ59